



DESIGN STANDARDS BULLETIN

The *Design Standards* were developed to work in conjunction with the requirements of the Construction and Professional Services Manual (CPSM) of the State of Virginia. This Bulletin is for the *Old Dominion University Design Standards* only and will not address any revisions associated with the CPSM.

This Bulletin is being issued as an interim change to the standards which cannot wait for the annual updates. It will be officially incorporated into the ODU DEPARTMENT: Facilities Management | Risk Management

Section of the Design Standards Being Considered:

Appendix M – Building Signage

Brief Description of the Current Requirement:


Signage in the exit stairwells, Sign Type K was incorrect per the current code.

Suggested Wording for the Proposed Addition / Deletion / Change:

Revise sign types J, K and K.1 per the attached.

Date Issued: July 30, 2018

Issued To: Mollie McCune, Willie Spencer, Christopher Pewterbaugh, Dale Feltes, Dave Robichaud, Mike Brady, John Hasher, Jay Graven



WHITE NON-TACTILE CHARACTERS
TREBUCHET MS
ON BLUE BACKGROUND -
TO MATCH COLOR PMS 540

SIGN TYPE J
BRaille EXIT SIGN

REFER TO 2012 IBC 1011.4 RAISED CHARACTER AND BRaille EXIT SIGNS

BRaille SHALL BE CONTRACTED
(GRADE 2) AND SHALL COMPLY WITH
ADA 703.3 BRaille - TYPICAL

SIGN TYPE J.1
BRaille MISC SIGN

